Appl. No. Filed : Unknown

: April 19, 2006

AMENDMENTS TO THE CLAIMS

- 1. (<u>Currently Amended</u>) A kit for <u>visualising displaying</u> a cutting regime of a rough diamond, the <u>kit</u> comprising:
 - (a) a solid, translucent substance into which three dimensional images are marked, said markings images indicating:
 - (i) the outer surface of the original rough diamond; and diamond,
 - (ii) optionally, the internal defects of the rough diamond, said markings indicating the position and shape of said defects with respect of the rough diamond,
 - (iii) optionally, the outer surface of one or more cut diamonds, said markings indicating the position and shape of said cut diamonds with respect of the rough diamond, and
 - (b) solid, physical representations of one or more diamonds indicated by the markings of item (iii), and/or

solid, a physical representation of the rough diamond, corresponding to the images.markings of item (i), and/or

one or more actual cut diamonds indicated by the markings of item (iii).

- 2. (Currently Amended) A kit for visualising displaying a cutting regime of a rough diamond, the kit comprising:
 - (a) a hologram depicting markings-images which indicate:
 - (i) the outer surface of the original rough diamond; and diamond,
 - (ii) optionally, internal defects of the rough diamond, said markings indicating the position and shape of said defects with respect of the rough diamond.
 - (iii) optionally, the outer surface of one or more cut diamonds, said markings indicating the position and shape of said cut diamonds with respect of the rough diamond,
 - (b) solid, physical representations of one or more diamonds, said diamonds corresponding to the markings of item (iii), and/or

Appl. No. : Unknown Filed : April 19, 2006

solid, a physical representation of the rough cut diamond, corresponding to the images markings of item (i), and/or

one or more actual cut diamonds indicated by the markings of item (iii)

- 3. (<u>Currently Amended</u>) A device for <u>visualising displaying</u> a cutting regime of a rough diamond, the <u>device</u> comprising a solid, translucent substance into which three dimensional images are marked, said <u>markings images</u> indicating:
 - (i) the outer surface of the original rough diamond. diamond,
 - (ii) optionally, internal defects of the rough diamond, said markings indicating the position and shape of said defects with respect of the rough diamond, and
 - (iii) optionally, the outer surface of one or more cut diamonds, said markings indicating the position and shape of said cut diamonds with respect of the rough diamond.
- 4. (Currently Amended) A kit according to claim 1, or a device according to claim 3 wherein the shape of said solid, translucent substance is <u>substantially</u> a cube, sphere or box.
- 5. (Currently Amended) A kit according to claim 1, or a device according to claim 3 wherein the shape of said solid, translucent substance is <u>substantially</u> the same as that of the outer surface of the rough diamond., with or without the features of any of items (i), (ii), and/or (iii).
- 6. (Currently Amended) A kit according to claim 1, any of claims 1, 2, 4 and 5 or a device according to any of claims 3 to 5 further comprising a computer readable storage medium on which data regarding one or more of the following is stored: certification of the a cut diamond cut from the rough diamond, history of the stonerough diamond, history of the a mine from which the rough diamond was found, history of manufacturing of a cut diamond cut from the rough diamond, history of trading the rough diamond.
- 7. (Currently Amended) A kit according to claim 1, any of claim 1 and 4 to 6, or a device according to any of claims 3 to 6, wherein said solid, translucent substance is comprises at least one of glass and crystal. glass or crystal.
- 8. (Currently Amended) A kit according to claim 1, any of claim 1, 2, 4 to 7, wherein said solid, physical representation comprises at least one of glass and crystal. s of item (b) are made of glass or crystal.

Appl. No. : Unknown
Filed : April 19, 2006

9. (Currently Amended) A kit according to claim 1, any of claims 1 to 4, 6 to 8, or a device according to any of claims 5 to 7-wherein solid; said physical representation[s] of item (b) further comprises markings which indicate at least one of a defect and the three dimensional boundaries of defects and/or where the outer a contour of a location where the rough diamond touches that of thea cut diamond.

- 10. (Cancelled)
- 11. (<u>Currently Amended</u>) A method for of determining a cutting regime of a rough diamond, the method comprising: the steps of:
 - (a) obtaining a three dimensional numerical representation of the rough diamond; diamond;
 - (b) obtaining a three dimensional numerical representation of the one or more defects therein, of the rough diamond;
 - (c) changing the positions, sizes and orientations of models numerical representations of one or more potential cut diamonds within the numerical representation of the rough diamond, diamonds,

so <u>as to that the maximum</u> <u>substantially maximize the</u> value of the <u>collection of one or more potential cut</u> diamonds, <u>so optimized is obtained, wherein said value based at least in part on the clarity, cut, <u>colour color and carat of each of the one or more potential cut diamonds.</u></u>

- 12. (<u>Currently Amended</u>) A method for determining a cutting regime of a rough diamond, the method comprising: the steps of:
 - (a) obtaining a three dimensional numerical representation of the rough diamond,
 - (b) obtaining a three dimensional numerical representation of the one or more defects of the rough diamond; therein,
 - (c) placing a model of a cut diamond within the numerical representation of the rough diamond; therein,
 - (d) scaling up the model until said model touches an outer surface of the numerical representation of the rough diamond or a numerical representation of the one or more defects; or defect

Appl. No. Unknown : Filed

April 19, 2006

- at least one of translating the model and/or and rotating the model; model, (e)
- repeating steps (d) to (f) until no further scaling-up is possible; possible, (f)
- (g) storing the size and position of the model; model,
- repositioning the model of step (c), and repeating steps (d) (c) to (h), until (h) no larger model is found;
- (i) obtaining the size and co-ordinates of the largest model by comparing the sizes stored in step-(g):[,] and
- repeating steps (c) to (i) in order to determine the size and position of (j) subsequent models, wherein the scaling of step-(d) is also terminated upon touching any of the previous models(s) determined in step (i).
- (Currently Amended) A method for of determining a cutting regime of a rough 13. diamond, the method comprising: the steps of:
 - obtaining a three dimensional numerical representation of the rough (a) diamond; diamond,
 - obtaining a three dimensional numerical representation of the one or more (b) defects of the rough diamond; therein,
 - generating a population of configurations of cut diamonds within the (c) numerical representation of the rough diamond;[,]
 - calculating the maximum scale factor for each configuration in the (d) population;[,]
 - creating a new population based on the results-maximum scale factors of (e) the first population,
 - (f) repeating steps (d) to (f)(c) to (e) until the value of the cut stones diamonds converges to a maximum, and
 - obtaining the size and co-ordinates of the cut diamonds which provide the (g) maximum value of cut diamonds.
- (Currently Amended) A computer program stored on a computer readable 14. medium, configured to cause a computer to perform the method of claim 11 when executed. capable of performing a method according to any of claims 11 to 13.

Appl. No. : Unknown Filed : April 19, 2006

15. (New) The kit according to claim 1, wherein the images further indicate the position and shape of internal defects of the rough diamond.

- 16. (New) The kit according to claim 1, wherein the images further indicate the position and shape of the outer surface of one or more cut diamonds.
- 17. (New) The kit according to claim 16, further comprising a physical representation of one or more of the cut diamonds indicated by the images.
- 18. (New) The kit according to claim 2, wherein the images further indicate the position and shape of internal defects of the rough diamond.
- 19. (New) The kit according to claim 2, wherein the images further indicate the position and shape of the outer surface of one or more cut diamonds.
- 20. (New) The kit according to claim 19, further comprising a physical representation of one or more of the cut diamonds indicated by the images.
- 21. (New) The device according to claim 3, wherein the images further indicate the position and shape of internal defects of the rough diamond.
- 22. (New) The device according to claim 3, wherein the images further indicate the position and shape of the outer surface of one or more cut diamonds.
- 23. (New) The device according to claim 22, further comprising a physical representation of one or more of the cut diamonds indicated by the images.